

Safety data sheet

Page: 1/19

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 29.11.2013

Version: 8.0

Product: **Elastospray 1629/1 Polyol component**

(ID no. 54174628/SDS_GEN_GB/EN)

Date of print 11.03.2014

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Elastospray 1629/1 Polyol component

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use: polyurethane component

1.3. Details of the supplier of the safety data sheet

Company:

BASF Polyurethanes U.K. Ltd., Alfreton
Trading Estate
Wimsey Way
Somercotes Alfreton DE55 4NL, UNITED
KINGDOM

Telephone: +44 1773 6071-61

E-mail address: Product-Safety-Elastogran@basf.com

1.4. Emergency telephone number

International emergency number:

Telephone: +49 180 2273-112

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

According to Regulation (EC) No 1272/2008 [CLP]

Acute Tox. 4 (oral)

Eye Dam./Irrit. 2

Skin Corr./Irrit. 2

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 29.11.2013

Version: 8.0

Product: **Elastospray 1629/1 Polyol component**

(ID no. 54174628/SDS_GEN_GB/EN)

Date of print 11.03.2014

According to Directive 67/548/EEC or 1999/45/EC

Possible Hazards:
Harmful if swallowed.

For the classifications not written out in full in this section the full text can be found in section 16.

2.2. Label elements

Globally Harmonized System, EU (GHS)

Pictogram:



Signal Word:
Warning

Hazard Statement:

H302	Harmful if swallowed.
H315	Causes skin irritation.
H319	Causes serious eye irritation.

Precautionary Statements (Prevention):

P280	Wear protective gloves/protective clothing/eye protection/face protection.
------	--

Precautionary Statements (Response):

P303 + P352	IF ON SKIN (on hair): Wash with plenty of soap and water.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P332 + P313	If skin irritation occurs: Get medical advice/attention.
P337 + P313	If eye irritation persists: Get medical advice/attention.

Precautionary Statements (Disposal):

P501	Dispose of contents/container to hazardous or special waste collection point.
------	---

Labeling of special preparations (GHS):

Product contains the following components and may cause an allergic skin reaction: dibutyltin dilaurate

According to Regulation (EC) No 1272/2008 [CLP]

Hazard determining component(s) for labelling: tris(2-chloro-1-methylethyl)phosphate

According to Directive 67/548/EEC or 1999/45/EC

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 29.11.2013

Version: 8.0

Product: **Elastospray 1629/1 Polyol component**

(ID no. 54174628/SDS_GEN_GB/EN)

Date of print 11.03.2014

Directive 1999/45/EC ('Preparation Directive')

Hazard symbol(s)

Xn Harmful.



R-phrase(s)

R22 Harmful if swallowed.

S-phrase(s)

S36/37/39 Wear suitable protective clothing, gloves and eye/face protection.

S-phrase(s)

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S27 Take off immediately all contaminated clothing.

S28.1 After contact with skin, wash immediately with plenty of water and soap.

Hazard determining component(s) for labelling: tris(2-chloro-1-methylethyl)phosphate

The product contains: dibutyltin dilaurate
May produce an allergic reaction.

2.3. Other hazards

According to Regulation (EC) No 1272/2008 [CLP]

No specific dangers known, if the regulations/notes for storage and handling are considered.

SECTION 3: Composition/Information on Ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Chemical nature

Preparation based on: polyol, catalyst, additives, propellant, flameproofing agent

Hazardous ingredients (GHS)

according to Regulation (EC) No. 1272/2008

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 29.11.2013

Version: 8.0

Product: **Elastospray 1629/1 Polyol component**

(ID no. 54174628/SDS_GEN_GB/EN)

Date of print 11.03.2014

dibutyltin dilaurate

Content (W/W): $\geq 0.1\%$ - $< 0.25\%$
CAS Number: 77-58-7
EC-Number: 201-039-8
REACH registration number: 01-2119496068-27

Skin Corr./Irrit. 1C
Skin Sens. 1
Muta. 2
Repr. 1B (fertility)
Repr. 1B (unborn child)
STOT SE 1
STOT RE 1 (oral)
Aquatic Chronic 1
Aquatic Acute 1
H314, H317, H341, H360FD, H370, H372, H400, H410

triethyl phosphate

Content (W/W): $\geq 1\%$ - $< 8\%$
CAS Number: 78-40-0
EC-Number: 201-114-5
REACH registration number: 01-2119492852-28

Acute Tox. 4 (oral)
Eye Dam./Irrit. 2
H302, H319

1,1,1,3,3-pentafluorobutane

Content (W/W): $\geq 7\%$ - $\leq 13\%$
CAS Number: 406-58-6
REACH registration number: 01-0000017653-68
INDEX-Number: 602-102-00-6

Flam. Liq. 2
H225

N,N,N',N'-Tetramethyl-2,2'-oxybis(ethylamine)

Content (W/W): $\geq 0.1\%$ - $< 1\%$
CAS Number: 3033-62-3
EC-Number: 221-220-5

Acute Tox. 4 (oral)
Acute Tox. 2 (Inhalation - vapour)
Acute Tox. 3 (dermal)
Skin Corr./Irrit. 1B
Aquatic Chronic 3
H302, H330, H311, H314, H412

tris(2-chloro-1-methylethyl) phosphate

Content (W/W): $\geq 25\%$
CAS Number: 13674-84-5
EC-Number: 237-158-7
REACH registration number: 01-2119486772-26

Acute Tox. 4 (oral)
H302

N,N-bis[3-(dimethylamino)propyl]-N',N'-dimethylpropane-1,3-diamine

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 29.11.2013

Version: 8.0

Product: **Elastospray 1629/1 Polyol component**

(ID no. 54174628/SDS_GEN_GB/EN)

Date of print 11.03.2014

Content (W/W): $\geq 1\%$ - $< 2.9\%$ Acute Tox. 4 (dermal)
CAS Number: 33329-35-0 Skin Corr./Irrit. 1B
EC-Number: 251-459-0 H312, H314

Hazardous ingredients

according to Directive 1999/45/EC

dibutyltin dilaurate

Content (W/W): $\geq 0.1\%$ - $< 0.25\%$
CAS Number: 77-58-7
EC-Number: 201-039-8
REACH registration number: 01-2119496068-27
Hazard symbol(s): T, N
R-phrases(s): 34, 43, 48/25, 50/53, 60, 61, 68

triethyl phosphate

Content (W/W): $\geq 1\%$ - $< 8\%$
CAS Number: 78-40-0
EC-Number: 201-114-5
REACH registration number: 01-2119492852-28
Hazard symbol(s): Xn
R-phrases(s): 22

1,1,1,3,3-pentafluorobutane

Content (W/W): $\geq 7\%$ - $\leq 13\%$
CAS Number: 406-58-6
REACH registration number: 01-0000017653-68
INDEX-Number: 602-102-00-6
Hazard symbol(s): F
R-phrases(s): 11

N,N,N',N'-Tetramethyl-2,2'-oxybis(ethylamine)

Content (W/W): $\geq 0.1\%$ - $< 1\%$
CAS Number: 3033-62-3
EC-Number: 221-220-5
Hazard symbol(s): T
R-phrases(s): 22, 23/24, 34, 52/53

tris(2-chloro-1-methylethyl) phosphate

Content (W/W): $\geq 25\%$
CAS Number: 13674-84-5
EC-Number: 237-158-7
REACH registration number: 01-2119486772-26
Hazard symbol(s): Xn
R-phrases(s): 22

N,N-bis[3-(dimethylamino)propyl]-N',N'-dimethylpropane-1,3-diamine

Content (W/W): $\geq 1\%$ - $< 2.9\%$
CAS Number: 33329-35-0
EC-Number: 251-459-0
Hazard symbol(s): C

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 29.11.2013

Version: 8.0

Product: **Elastospray 1629/1 Polyol component**

(ID no. 54174628/SDS_GEN_GB/EN)

Date of print 11.03.2014

R-phrases: 21, 34

For the classifications not written out in full in this section, including the indication of danger, the hazard symbols, the R phrases, and the hazard statements, the full text is listed in section 16.

SECTION 4: First-Aid Measures

4.1. Description of first aid measures

Remove contaminated clothing.

If inhaled:

If difficulties occur after vapour/aerosol has been inhaled, remove to fresh air and seek medical attention.

On skin contact:

Wash thoroughly with soap and water.

On contact with eyes:

Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink plenty of water, do not induce vomiting, seek medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms: Eye irritation, skin irritation

Hazards: Symptoms can appear later.

4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing media

Suitable extinguishing media:

water spray, dry powder, foam, carbon dioxide

5.2. Special hazards arising from the substance or mixture

carbon monoxide, Carbon dioxide, hydrogen fluoride, hydrogen chloride, nitrogen oxides, Phosphorus compounds

The substances/groups of substances mentioned can be released in case of fire.

5.3. Advice for fire-fighters

Special protective equipment:

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 29.11.2013

Version: 8.0

Product: **Elastospray 1629/1 Polyol component**

(ID no. 54174628/SDS_GEN_GB/EN)

Date of print 11.03.2014

Wear a self-contained breathing apparatus.

Further information:

If exposed to fire, keep containers cool by spraying with water. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

SECTION 6: Accidental Release Measures

An explosive atmosphere can be formed in the case of a spillage. No smoking. Avoid open flames.

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Sources of ignition should be kept well clear.

6.2. Environmental precautions

Do not empty into drains. Do not discharge into the subsoil/soil.

6.3. Methods and material for containment and cleaning up

For large amounts: Pump off product.

For residues: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr). Dispose of contaminated material as prescribed.

6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

SECTION 7: Handling and Storage

7.1. Precautions for safe handling

Ensure thorough ventilation of stores and work areas.

Protection against fire and explosion:

Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy. Vapours are heavier than air. Vapours may form ignitable mixture with air.

7.2. Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds. Segregate from acids. Segregate from oxidants.

Suitable materials for containers: carbon steel (iron), High density polyethylene (HDPE), Low density polyethylene (LDPE), tin (tinplate), Stainless steel 1.4301 (V2)

Further information on storage conditions: Containers should be stored tightly sealed in a dry place. Information concerning the compliance to the Packaging (Essential Requirements) Regulations 1998 and their amendments may be obtained from the manufacturer.

Storage stability:

Storage temperature: < 30 °C

7.3. Specific end use(s)

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 29.11.2013

Version: 8.0

Product: **Elastospray 1629/1 Polyol component**

(ID no. 54174628/SDS_GEN_GB/EN)

Date of print 11.03.2014

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

SECTION 8: Exposure Controls/Personal Protection

8.1. Control parameters

Components with occupational exposure limits

77-58-7: Dibutyltin dilaurate

TWA value 0.1 mg/m³ (WEL/EH 40 (UK))

Measured as: tin (Sn)

STEL value 0.2 mg/m³ (WEL/EH 40 (UK))

Measured as: tin (Sn)

Skin Designation (WEL/EH 40 (UK))

Measured as: tin (Sn)

The substance can be absorbed through the skin.

Components with PNEC

77-58-7: dibutyltin dilaurate

freshwater: 0.000463 mg/l

marine water: 0.0463 µg/l

intermittent release: 0.00463 mg/l

sediment (freshwater): 0.05 mg/kg

soil: 0.0407 mg/kg

STP: 100 mg/l

sediment (marine water): 0.005 mg/kg

78-40-0: triethyl phosphate

soil: 0.596 mg/kg

STP: 298.5 mg/l

marine water: 0.0632 mg/l

sediment (freshwater): 4.83 mg/l

water: 0.632 mg/l

13674-84-5: Tris(2-chloro-1-methylethyl) phosphate

freshwater: 0.64 mg/l

marine water: 0.064 mg/l

intermittent release: 0.51 mg/l

STP: 7.84 mg/l

sediment (freshwater): 7.6 mg/kg

soil: 1.7 mg/kg

oral (secondary poisoning): < 11.6 mg/kg

Components with DNEL

77-58-7: dibutyltin dilaurate

worker: Short-term exposure - systemic effects, dermal: 1 mg/kg

worker: Long-term exposure- systemic effects, dermal: 0.2 mg/kg
 worker: Short-term exposure - systemic effects, Inhalation: 0.07 mg/m³
 consumer: Short-term exposure - systemic effects, dermal: 0.5 mg/kg
 worker: Long-term exposure- systemic effects, Inhalation: 0.01 mg/m³
 consumer: Long-term exposure- systemic effects, dermal: 0.08 mg/kg
 consumer: Short-term exposure - systemic effects, Inhalation: 0.02 mg/m³
 consumer: Long-term exposure- systemic effects, Inhalation: 0.003 mg/m³
 consumer: Short-term exposure - systemic effects, oral: 0.01 mg/kg
 consumer: Long-term exposure- systemic effects, oral: 0.002 mg/kg

78-40-0: triethyl phosphate

consumer: Short-term exposure - systemic effects, oral: 13.3 mg/kg
 consumer: Long-term exposure- systemic effects, oral: 1.66 mg/kg
 worker: Short-term exposure - systemic effects, Inhalation: 93.6 mg/m³
 worker: Long-term exposure- systemic effects, Inhalation: 11.7 mg/m³
 consumer: Short-term exposure - systemic effects, Inhalation: 23.12 mg/m³
 consumer: Long-term exposure- systemic effects, Inhalation: 2.89 mg/m³
 worker: Short-term exposure - systemic effects, dermal: 26.6 mg/kg
 worker: Long-term exposure- systemic effects, dermal: 3.33 mg/kg
 consumer: Short-term exposure - systemic effects, dermal: 13.3 mg/kg
 consumer: Long-term exposure- systemic effects, dermal: 1.66 mg/kg

13674-84-5: Tris(2-chloro-1-methylethyl) phosphate

worker: Long-term exposure- systemic effects, Inhalation: 5.82 mg/m³
 worker: Long-term exposure- systemic effects, dermal: 2.08 mg/kg
 worker: Short-term exposure - systemic effects, dermal: 8 mg/kg
 worker: Short-term exposure - systemic effects, dermal: 14 mg/kg
 consumer: Short-term exposure - systemic effects, dermal: 4 mg/kg
 consumer: Short-term exposure - systemic effects, dermal: 7 mg/kg

8.2. Exposure controlsPersonal protective equipment

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Respiratory protection in case of vapour/aerosol release. Particle filter with medium efficiency for solid and liquid particles (e.g. EN 143 or 149, Type P2 or FFP2)

Hand protection:

Suitable chemical resistant safety gloves (EN 374) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) and other Use gauntlets.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Standard work clothes and shoes.

General safety and hygiene measures

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 29.11.2013

Version: 8.0

Product: **Elastospray 1629/1 Polyol component**

(ID no. 54174628/SDS_GEN_GB/EN)

Date of print 11.03.2014

Wearing of closed work clothing is required additionally to the stated personal protection equipment. When using, do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. At the end of the shift the skin should be cleaned and skin-care agents applied.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Form:	liquid	
Colour:	amber	
Odour:	amine-like	
Odour threshold:	not applicable	
pH value:	> 7 (20 °C)	
solidification temperature:	< 0 °C	
Boiling point:	> 140 °C (1,013 hPa)	
Flash point:	Not determinable.	(DIN 51755)
Evaporation rate:	Value can be approximated from Henry's Law Constant or vapor pressure.	
Flammability:	not flammable	
Lower explosion limit:	For liquids not relevant for classification and labelling., The lower explosion point may be 5 - 15 °C below the flash point.	
<i>Information on: 1,1,1,3,3-Pentafluorbutan</i>		
<i>Lower explosion limit:</i>		
<i>For liquids not relevant for classification and labelling., The lower explosion point may be 5 - 15 °C below the flash point.</i>		

Upper explosion limit:	For liquids not relevant for classification and labelling.	
<i>Information on: 1,1,1,3,3-Pentafluorbutan</i>		
<i>Upper explosion limit:</i>		
<i>For liquids not relevant for classification and labelling.</i>		

Ignition temperature:	> 250 °C	
Vapour pressure:	80 kPa (50 °C)	
Density:	1.208 g/cm ³ (20 °C)	

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 29.11.2013

Version: 8.0

Product: **Elastospray 1629/1 Polyol component**

(ID no. 54174628/SDS_GEN_GB/EN)

Date of print 11.03.2014

Relative density: 1.208
(20 °C)
Relative vapour density (air): not applicable
Solubility in water: partly soluble
Partitioning coefficient n-octanol/water (log Kow): not applicable
Thermal decomposition: No decomposition if stored and handled as prescribed/indicated.
Viscosity, dynamic: 255 mPa.s
(25 °C)

9.2. Other information

Miscibility with water: partly miscible

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

SECTION 10: Stability and Reactivity

10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals: No corrosive effect on metal.

10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

10.3. Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

10.4. Conditions to avoid

Temperature: < 0 °C

10.5. Incompatible materials

Substances to avoid:
acids, oxidizing agents, isocyanates

10.6. Hazardous decomposition products

No hazardous decomposition products if stored and handled as prescribed/indicated.

SECTION 11: Toxicological Information

11.1. Information on toxicological effects

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 29.11.2013

Version: 8.0

Product: **Elastospray 1629/1 Polyol component**

(ID no. 54174628/SDS_GEN_GB/EN)

Date of print 11.03.2014

Acute toxicity

Assessment of acute toxicity:

Of moderate toxicity after single ingestion. Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation.

*Information on: polypropylenglycol**Experimental/calculated data:**LD50 rat (oral): 1,000 - < 2,000 mg/kg**Information on: tris(2-chloro-1-methylethyl) phosphate**Experimental/calculated data:**LD50 rat (oral): 630 mg/kg (Guideline 92/69/EEC, B.1)**Information on: triethyl phosphate**Experimental/calculated data:**LD50 rat (oral): 1,600 mg/kg**Literature data.*
-----Irritation

Assessment of irritating effects:

Eye contact causes irritation. Skin contact causes irritation.

*Information on: N,N-bis[3-(dimethylamino)propyl]-N',N'-dimethylpropane-1,3-diamine**Experimental/calculated data:**Skin corrosion/irritation rabbit: Corrosive.*
-----Respiratory/Skin sensitization

Assessment of sensitization:

May produce an allergic reaction.

*Information on: tris(2-chloro-1-methylethyl) phosphate**Experimental/calculated data:**Mouse Local Lymph Node Assay (LLNA) mouse: Non-sensitizing. (OECD Guideline 429)*
-----Germ cell mutagenicity

Assessment of mutagenicity:

The chemical structure does not suggest a specific alert for such an effect.

Carcinogenicity

Assessment of carcinogenicity:

The chemical structure does not suggest a specific alert for such an effect.

Reproductive toxicity

Assessment of reproduction toxicity:

The chemical structure does not suggest a specific alert for such an effect.

Developmental toxicity

Assessment of teratogenicity:

The chemical structure does not suggest a specific alert for such an effect.

Experiences in humans

Experimental/calculated data:

High concentrations have a narcotizing effect.

Specific target organ toxicity (single exposure)

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

Repeated dermal uptake of the substance did not cause substance-related effects. Repeated inhalative uptake of the substance did not cause substance-related effects. Repeated oral uptake of the substance did not cause substance-related effects.

Aspiration hazard

No aspiration hazard expected.

Other relevant toxicity information

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

SECTION 12: Ecological Information

12.1. Toxicity

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms.

Information on: tris(2-chloro-1-methylethyl) phosphate

Toxicity to fish:

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 29.11.2013

Version: 8.0

Product: **Elastospray 1629/1 Polyol component**

(ID no. 54174628/SDS_GEN_GB/EN)

Date of print 11.03.2014

LC50 (96 h) 51 mg/l, Pimephales promelas (Fish test acute, static)

LC50 (96 h) 56 mg/l, Brachydanio rerio (Fish test acute, static)

Information on: tris(2-chloro-1-methylethyl) phosphate

Aquatic invertebrates:

EC50 (48 h) 131 mg/l, Daphnia magna (Daphnia test acute, static)

The statement of the toxic effect relates to the analytically determined concentration.

Information on: tris(2-chloro-1-methylethyl) phosphate

Aquatic plants:

EC50 (72 h) 82 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static)

Nominal concentration.

Information on: tris(2-chloro-1-methylethyl) phosphate

Microorganisms/Effect on activated sludge:

EC50 (3 h) 784 mg/l, activated sludge (DIN EN ISO 8192, aquatic)

Nominal concentration.

12.2. Persistence and degradability

Assessment biodegradation and elimination (H₂O):

Poorly biodegradable.

Elimination information:

Poorly biodegradable.

12.3. Bioaccumulative potential

Assessment bioaccumulation potential:

Does not significantly accumulate in organisms.

12.4. Mobility in soil

Assessment transport between environmental compartments:

Adsorption to solid soil phase is not expected.

12.5. Results of PBT and vPvB assessment

According to Annex XIII of Regulation (EC) No.1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH): The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria.

12.6. Other adverse effects

The product does not contain substances that are listed in Annex I of Regulation (EC) 2037/2000 on substances that deplete the ozone layer.

12.7. Additional information

Adsorbable organically-bound halogen (AOX):

The product contains according to the formulation, organically bound halogen. It can increase the AOX-value in the water purification plants overflow or if it reaches waters.

Other ecotoxicological advice:

Do not allow to enter soil, waterways or waste water channels. Inhibition of degradation activity in activated sludge is not to be anticipated during correct introduction of low concentrations. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

SECTION 13: Disposal Considerations

13.1. Waste treatment methods

Incinerate in suitable incineration plant, observing local authority regulations.

The UK Environmental Protection (Duty of Care) Regulations (EP) and amendments should be noted (United Kingdom).

This product and any uncleaned containers must be disposed of as hazardous waste in accordance with the 2005 Hazardous Waste Regulations and amendments (United Kingdom)

Waste key:

07 02 07^{pr} halogenated still bottoms and reaction residues

Contaminated packaging:

Contaminated packaging should be emptied as far as possible; then it can be passed on for recycling after being thoroughly cleaned.

SECTION 14: Transport Information

Land transport

ADR

	Not classified as a dangerous good under transport regulations
UN number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

RID

	Not classified as a dangerous good under transport regulations
UN number:	Not applicable

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 29.11.2013

Version: 8.0

Product: **Elastospray 1629/1 Polyol component**

(ID no. 54174628/SDS_GEN_GB/EN)

Date of print 11.03.2014

UN proper shipping name: Not applicable
Transport hazard class(es): Not applicable
Packing group: Not applicable
Environmental hazards: Not applicable
Special precautions for user: None known

Inland waterway transport

ADN

Not classified as a dangerous good under transport regulations

UN number: Not applicable
UN proper shipping name: Not applicable
Transport hazard class(es): Not applicable
Packing group: Not applicable
Environmental hazards: Not applicable
Special precautions for user: None known

Transport in inland waterway vessel: Not evaluated

Sea transport

IMDG

Not classified as a dangerous good under transport regulations

UN number: Not applicable
UN proper shipping name: Not applicable
Transport hazard class(es): Not applicable
Packing group: Not applicable
Environmental hazards: Not applicable
Special precautions for user: None known

Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

UN number: Not applicable
UN proper shipping name: Not applicable
Transport hazard class(es): Not applicable
Packing group: Not applicable
Environmental hazards: Not applicable
Special precautions for user: None known

14.1. UN number

See corresponding entries for "UN number" for the respective regulations in the tables above.

14.2. UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

14.6. Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Regulation:	Not evaluated
Shipment approved:	Not evaluated
Pollution name:	Not evaluated
Pollution category:	Not evaluated
Ship Type:	Not evaluated

SECTION 15: Regulatory Information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

The data should be considered when making any assessment under the Control of Substances Hazardous to Health Regulations (COSHH), and related guidance, for example, 'COSHH Essentials' (United Kingdom).

This product is classified under the Chemicals (Hazard Information and Packaging) Regulations, (CHIP) (United Kingdom).

This product is not classified as dangerous for transport according to the Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009.

15.2. Chemical Safety Assessment

Chemical Safety Assessment not yet performed due to registration timelines. Exposure scenarios for the mixture can not be provided at the moment because exposure scenarios are not yet available for all relevant substances due to registration timelines. For advice on essential measures see sections 7 and 8 of this safety data sheet.

SECTION 16: Other Information

Full text of the classifications, including the indication of danger, the hazard symbols, the R phrases, and the hazard statements, if mentioned in section 2 or 3:

T	Toxic.
N	Dangerous for the environment.
Xn	Harmful.
F	Highly flammable.
C	Corrosive.
34	Causes burns.
43	May cause sensitization by skin contact.
48/25	Toxic: danger of serious damage to health by prolonged exposure if swallowed.
50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
60	May impair fertility.
61	May cause harm to the unborn child.
68	Also possible risk of irreversible effects.
22	Harmful if swallowed.
11	Highly flammable.
23/24	Toxic by inhalation and in contact with skin.
52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
21	Harmful in contact with skin.
Acute Tox.	Acute toxicity
Eye Dam./Irrit.	Serious eye damage/eye irritation
Skin Corr./Irrit.	Skin corrosion/irritation
Skin Sens.	Skin sensitization
Muta.	Germ cell mutagenicity
Repr.	Reproductive toxicity
STOT SE	Specific target organ toxicity — single exposure
STOT RE	Specific target organ toxicity — repeated exposure
Aquatic Chronic	Hazardous to the aquatic environment - chronic
Aquatic Acute	Hazardous to the aquatic environment - acute
Flam. Liq.	Flammable liquid
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H341	Suspected of causing genetic defects.
H360FD	May damage fertility. May damage the unborn child.
H370	Causes damage to organs.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H302	Harmful if swallowed.
H319	Causes serious eye irritation.
H225	Highly flammable liquid and vapour.
H330	Fatal if inhaled.
H311	Toxic in contact with skin.
H412	Harmful to aquatic life with long lasting effects.

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 29.11.2013

Version: 8.0

Product: **Elastospray 1629/1 Polyol component**

(ID no. 54174628/SDS_GEN_GB/EN)

Date of print 11.03.2014

H312

Harmful in contact with skin.

If you have any queries relating to this MSDS, its contents or any other product safety related questions, please write to the following e-mail address: Product-Safety-Elastogran@basf.com

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The data do not describe the product's properties (product specification). Neither should any agreed property nor the suitability of the product for any specific purpose be deduced from the data contained in the safety data sheet. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.